

LED MADA®

Uždaroji akcinė bendrovė

Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22

BENDRA TECHNINĖ SPECIFIKACIJA

SUSTRIPTINTOS KONSTRUKCIJOS LED PROŽEKTORIUS BA2-30XXXW/FDLS3

Atnaujinta 2025 metais

GAMINIO MODELS

BA2-30XXXW/FDLS3

GAMINIO PASKIRTIS

SUSTIPTINTOS KONSTRUKCIJOS LED PROŽEKTORIUS 10W-350W,
SKIRTAS NAUDOJIMUI VIDAUS/LAUKO SĄLYGOMIS



IP66 IK08

MODELIAI

MODELIO NR.	GALIA	LED SKAIČIUS	ŠV. SRAUTAS ±5%	SVORIS
BA2-3010W/FDLS3	10W	12	1400 LM	0.50 KG
BA2-3020W/FDLS3	20W	24	2800 LM	0.98 KG
BA2-3030W/FDLS3	30W	32	4200 LM	0.98 KG
BA2-3050W/FDLS3	50W	72	7000 LM	1.50 KG
BA2-3080W/FDLS3	80W	144	11200 LM	2.60 KG
BA2-30100W/FDLS3	100W	240	14000 LM	2.60 KG
BA2-30120W/FDLS3	120W	240	16800 LM	4.00 KG
BA2-30150W/FDLS3	150W	360	21000 LM	4.00 KG
BA2-30180W/FDLS3	180W	360	25200 LM	4.70 KG
BA2-30200W/FDLS3	200W	320	28000 LM	4.70 KG
BA2-30250W/FDLS3	250W	480	35000 LM	5.70 KG
BA2-30300W/FDLS3	300W	512	42000 LM	8.50 KG
BA2-30350W/FDLS3	350W	512	49000 LM	8.50 KG

LED MADA®

Uždaroji akcinė bendrovė

Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22

MEDŽIAGOS	ALIUMINIO LYDINYS ADC12 + GRŪDINTAS STIKLAS KORPUSO SPALVA JUODA
ŠVIESOS ŠALTINIS	ŠVIESOS DIODAI PHILIPS LUMILEDS 3030 140 LM/W ŠVIESOS TEMPERATŪRA (CCT) 3000K/4000K/5000K/6500K Ra>80
LED MAITINIMO ŠALTINIS (LED DRIVER)	MEANWELL
MATMENYS	<p>Technical drawings of LED light fixtures in various sizes, showing front and side views with dimensions:</p> <ul style="list-style-type: none">10W: Front view (123x188x150), Side view (47)20W: Front view (169x242x200), Side view (51)30W: Front view (189x242x200), Side view (51)50W: Front view (220x283x200), Side view (52)100W/120W: Front view (392x394x325), Side view (57)150W/180W: Front view (392x445x376), Side view (57)200W/250W: Front view (392x497x427), Side view (59)300W: Front view (545x524x447), Side view (65)

LEDMADA®

Uždaroji akcinė bendrovė



Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22

PROŽEKTORIAUS TVIRTINIMAS	
ŠVIESOS SKLAIDOS KAMPAS	7°/15°/30°/60°/90°/120°/T2M/T3M
ŠVIESOS PASKIRSTYMO DUOMENYS	
ENERGIJOS ŠALTINIS	INPUT 220VAC 50/60Hz INPUT 36VAC 50/60Hz
NAUDOJIMO SĄLYGOS	TEMPERATŪRA -40°C ~ +50°C DRĖGMĖ 10%-90%
IP SKAITMUO APSAUGA NUO MECHANINIO SMŪGIO	IP66 CE IK08
GARANTIJA	60 MĖNESIŲ LM70
ĮSPĖJIMAI, ATSARGUMO PRIEMONĖS IR NAUDOJIMO INSTRUKCIJA	<ul style="list-style-type: none">• MONTAVIMO DARBUS GALI VYKDYTI TIK SPECIALISTAS, TURINTIS ATITINKAMĄ KVALIFIKACIJĄ IR LEIDIMĄ DIRBTI PAVOJINGUS DARBUS.• NEUŽDENGTI PROŽEKTORIAUS NUGARINĖS DALIES.• PROŽEKTORIUS YRA I-OS APSAUGOS NUO ELEKTROS SMŪGIO KLASĖS IR TURI BŪTI ĮŽEMINTAS.• PRIEŠ MONTAVIMĄ ĮSITIKINKITE, KAD PROŽEKTORIUS YRA TECHNIŠKAI TVARKINGAS.• PROŽEKTORIAUS NEGALIMA SPAUSTI, MĒTYTI AR ARDYTI.• PRIEŠ MONTUOJANT PROŽEKTORIŲ PRIVALOMA IŠJUNGTI ĮTAMPOS AUTOMATUS.

LED MADA®

Uždaroji akcinė bendrovė

Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22



Visos Pardavėjo Lietuvos Respublikos vidaus rinkai verslo tikslais Pirkėjui teiktos (perduotos, parduotos) ne buitinės elektros ir elektroninės įrangos atliekų tvarkymas bus finansuojamas pagal Lietuvos Respublikos atliekų tvarkymo įstatymo reikalavimus.



LED MADA®

Uždaroji akcinė bendrovė

Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22

COMMON TECHNICAL SPECIFICATION

LED FLOOD LIGHT BA2-30XXXW/FDLS3 WITH REINFORCED DESIGN

Updated in 2025

MODEL OF THE PRODUCT

BA2-30XXXW/FDLS3

USE OF THE PRODUCT

10W-350W LED FLOODLIGHT WITH REINFORCED DESIGN
DESIGNED FOR INDOOR AND / OR OUTDOOR USE



IP66 IK08

MODELS

MODEL NO.	POWER	NO. OF LEDs	LUMINOUS FLUX ±5%	WEIGHT
BA2-3010W/FDLS3	10W	12	1400 LM	0.50 KG
BA2-3020W/FDLS3	20W	24	2800 LM	0.98 KG
BA2-3030W/FDLS3	30W	32	4200 LM	0.98 KG
BA2-3050W/FDLS3	50W	72	7000 LM	1.50 KG
BA2-3080W/FDLS3	80W	144	11200 LM	2.60 KG
BA2-30100W/FDLS3	100W	240	14000 LM	2.60 KG
BA2-30120W/FDLS3	120W	240	16800 LM	4.00 KG
BA2-30150W/FDLS3	150W	360	21000 LM	4.00 KG
BA2-30180W/FDLS3	180W	360	25200 LM	4.70 KG
BA2-30200W/FDLS3	200W	320	28000 LM	4.70 KG
BA2-30250W/FDLS3	250W	480	35000 LM	5.70 KG
BA2-30300W/FDLS3	300W	512	42000 LM	8.50 KG
BA2-30350W/FDLS3	350W	512	49000 LM	8.50 KG

LED MADA®

Uždaroji akcinė bendrovė

Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22

<p>MATERIALS</p>	<p>ALUMINIUM ALLOY ADC12 + TEMPERED GLASS BODY COLOUR BLACK</p>
<p>LIGHT SOURCE</p>	<p>PHILIPS LUMILEDS 3030 140 LM/W LEDs CORRELATED COLOUR TEMPERATURE (CCT) 3000K/4000K/5000K/6500K Ra>80</p>
<p>LED DRIVER</p>	<p>MEANWELL</p>
<p>DIMENSIONS</p>	<p>Technical drawings of LED light fixtures in various sizes, showing front and side views with dimensions:</p> <ul style="list-style-type: none"> 10W: Front view (123x150), side view (47). Total height 188. 20W: Front view (169x200), side view (51). Total height 242. 30W: Front view (169x200), side view (51). Total height 242. 50W: Front view (220x200), side view (52). Total height 283. 100W/120W: Front view (392x325), side view (57). Total height 394. 150W/180W: Front view (392x376), side view (57). Total height 445. 200W/250W: Front view (392x427), side view (59). Total height 497. 300W: Front view (545x447), side view (65). Total height 524.

LED MADA®

Uždaroji akcinė bendrovė



Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22

<p>FIXING OF THE FLOODLIGHT</p>	
<p>BEAM ANGLE</p>	<p>7°/15°/30°/60°/90°/120°/T2M/T3M</p>
<p>DATA ON LIGHT DISTRIBUTION</p>	
<p>ENERGY SOURCE</p>	<p>INPUT 220VAC 50/60Hz INPUT 36VAC 50/60Hz</p>
<p>CONDITIONS OF USE</p>	<p>TEMPERATURE -40°C ~ +50°C HUMIDITY 10%-90%</p>
<p>IP RATING PROTECTION AGAINST MECHANICAL IMPACT</p>	<p>IP66 CE IK08</p>
<p>WARRANTY</p>	<p>60 MONTHS FOR LM70</p>
<p>WARNINGS, PRECAUTIONS AND INSTRUCTIONS FOR USE</p>	<ul style="list-style-type: none"> • INSTALLATION WORK MAY ONLY BE CARRIED OUT BY A QUALIFIED PROFESSIONAL WITH A PERMIT TO CARRY OUT HAZARDOUS WORK. • DO NOT COVER THE BACK OF THE FLOODLIGHT. • THE FLOODLIGHT IS RATED AS PROTECTION CLASS I AGAINST ELECTRIC SHOCK AND MUST BE EARTHED. • BEFORE INSTALLATION, MAKE SURE THAT THE FLOODLIGHT IS IN GOOD TECHNICAL CONDITION. • DO NOT PRESS, THROW OR DISMANTLE THE FLOODLIGHT. • IT IS MANDATORY TO SWITCH OFF THE CIRCUIT BREAKERS BEFORE INSTALLING THE FLOODLIGHT

LED MADA[®]

Uždaroji akcinė bendrovė

Įmonės kodas 303287697, PVM mokėtojo kodas LT100008526416

Kalvarijų g. 125 korp. 3, LT-08221 Vilnius, Lietuva

Tel. +370-680-90900, +370-653-88885

el. p. info@ledmada.com, web: www.ledmada.lt

Sąskaita LT947300010138949797, bankas „Swedbank“ AB, Vilnius, SWIFT: HABA LT 22



The management of all non-household waste electrical and electronic equipment provided (transferred, sold) by the Seller to the Buyer for business purposes in the domestic market of the Republic of Lithuania shall be financed in accordance with the requirements of the Law on Waste Management of the Republic of Lithuania.

